

LSA FASI(S) ACP

Response on Design Principles

22 December 2021

CPJ-5641-RPT-013 V1.0

www.cyrrus.co.uk

info@cyrrus.co.uk



Executive Summary

The CAA wrote to 18 airports in the South-East of England (including London Southend Airport) to advise them that it is essential that they participate in a programme of Airspace Modernisation. This programme consists of a coordinated attempt to improve upon the efficiency of airspace usage across the region whilst implementing the latest technology with the aim of reducing the environmental impacts associated with aviation.

We conducted a targeted engagement exercise that commenced on 21 September 2021 and lasted for 41 days. We issued a comprehensive document to provide stakeholders with an understanding of what London Southend Airport (LSA) needs to address in this Airspace Change Proposal (ACP). The document, titled '*LSA FASI(S) ACP: An Introduction to Design Principles*', included a series of 'Draft' Design Principles together with a short survey on the establishment of the 'Final' Design Principles that will ultimately shape the development and assessment of 'Options' for change. The survey was active for a period of 41 days ending on 31 October 2021 which included several reminders throughout the process encouraging responses and feedback from stakeholders prior to closing.

This document acts as a record of the responses received on the Draft Design Principles and describes how they shaped the Final Design Principles. The responses that were received were largely supportive or offered little by way of alternatives, the Draft Design Principles have evolved to become the Final Design Principles (with a few exceptions) that will be submitted to the CAA 'Define' Gateway assessment.

We would like to thank the stakeholders for their time, consideration, and valuable input. We look forward to continuing to work with them to improve our system of flight procedures and our airspace configuration.

Abbreviations

ACOG	Airspace Change Organising Group
ACP	Airspace Change Proposal
AIP	Aeronautical Information Publication
AMS	Airspace Modernisation Strategy
ANSP	Air Navigation Services Provider
AONB	Areas of Outstanding National Beauty
ATC	Air Traffic Control
ATCO	Air Traffic Control Officer
CAA	Civil Aviation Authority
CAT	Commercial Air Transport
CTA	Control Area
CTR	Control Zone
dB _A	A-weighted Decibels
DfT	Department for Transport
DME	Distance Measuring Equipment
DP	Design Principle
EASA	European Aviation Safety Agency
EGNOS	European Geostationary Navigation Overlay Service
FAS	Future Airspace Strategy
FASI(N)	Future Airspace Implementation North
FASI(S)	Future Airspace Implementation South
GA	General Aviation
GNSS	Global Navigation Satellite System
IAP	Instrument Approach Procedure
ICAO	International Civil Aviation Organisation
IFP	Instrument Flight Procedure
Leq	Equivalent Continuous Sound Level
LAeq	Equivalent A-weighted Continuous Sound Level
LOAEL	Lowest Observed Adverse Effect Level
LPV	Localiser Performance with Vertical Guidance
LSA	London Southend Airport
MTWA	Maximum Take-Off Weight Authorised
NAP	Noise Action Plan

NERL	NATS En-Route Limited
NMT	Noise Monitoring Terminal
NPR	Noise Preferential Route
NTK	Noise and Track Keeping
PANS-OPS	Procedures for Air Navigation Services – Aircraft Operations
PBN	Performance Based Navigation
PDR	Preferred Departure Route
RNAV	Area Navigation
RNP	Required Navigational Performance
SIDs	Standard Instrument Departures
STARs	Standard Arrival Procedures
VOR	VHF Omni Directional Range Finder

Contents

EXECUTIVE SUMMARY	1
ABBREVIATIONS	2
CONTENTS.....	4
1. INTRODUCTION	6
1.1. Engagement	6
1.2. Responses	6
1.3. Methodology.....	7
2. SURVEY RESPONSES AND IMPACT	8
2.1. Question 1.....	8
2.2. Question 2.....	8
2.3. Question 3.....	9
2.4. Question 4.....	10
2.5. Question 5.....	10
2.6. Question 6 – DP 1.....	11
2.7. Question 7 – DP 2.....	11
2.8. Question 8 – DP 3.....	11
2.9. Question 9 – DP 4.....	12
2.10. Question 10 – DP 5.....	12
2.11. Question 11 – DP 6.....	13
2.12. Question 12 – DP 7.....	13
2.13. Question 13 – DP 8.....	13
2.14. Question 14 – DP 9.....	14
2.15. Question 15 – DP 10.....	14
2.16. Question 16 – DP 11.....	14
2.17. Question 17 – DP 12.....	15
2.18. Question 18 - DP 13	15
2.19. Question 19 – DP 14.....	15
2.20. Question 20 – DP 15.....	16
2.21. Question 21 – DP 16.....	16
2.22. Question 22 – DP 17.....	16
2.23. Question 23 – DP 18.....	17
2.24. Question 24 – DP 19.....	17
2.25. Question 25.....	17

3.	NON-SURVEY FEEDBACK	21
3.1.	London Heathrow Airport (LHR)	21
3.2.	Rochester Airport.....	21
4.	FINAL DESIGN PRINCIPLES	22
4.1.	Overview	22
4.2.	Safety	22
4.3.	Environmental.....	22
4.4.	Operational	23
4.5.	Technical	23
4.6.	Economic.....	23
4.7.	Strategic Policy.....	23
A.	STAKEHOLDER LIST	25
A.1.	Community Stakeholders.....	25
A.2.	Environmental Stakeholders.....	25
A.3.	Technical Stakeholders	26
A.4.	Local Aviation Stakeholders	26
A.5.	Statutory Aviation Stakeholders	27
B.	FINAL DESIGN PRINCIPLES SUMMARY TABLE	28

1. Introduction

1.1. Engagement

1.1.1. A document titled '*LSA FASI(S) ACP: An Introduction to Design Principles*' was issued to the stakeholders (detailed at Annex A) on 21 September 2021. Contained within this document was an explanation of what was being asked along with a link to an online survey¹.

1.1.2. CAP1616 sets out the level of targeted stakeholder engagement expected at Stage 1 of the process. Change Sponsors are expected to engage with representative bodies that cover a range of opinions and viewpoints. Accordingly, the list of stakeholders at Annex A was compiled by consideration to each of the respective groupings as follows:

- Community;
- Environmental;
- Technical;
- Local Aviation, Airports and Operators; and
- Statutory (i.e. National Air Traffic Management Advisory Committee (NATMAC)).

1.1.3. Stakeholders were asked to provide feedback by 31 October 2021.

1.1.4. To ensure we provided everyone ample opportunity to respond, we allowed for a response period of greater than 30 days and sent follow-up reminders on 16th, 24th and 29th October with the engagement period closing on 31 October.

1.1.5. The LSA Airport Consultative Committee (ACC) was briefed prior to the engagement period by the Airport management team on 1 Sep 2021. The briefing consisted of an overview of the reasoning for the project and included a presentation. Upon completion of the engagement period, the ACC received another update briefing on the evolution of the Design Principles via Zoom video conferencing².

1.2. Responses

1.2.1. A total of thirty-four responses were received through the online survey and two additional responses via email. They are divided into the following categories:

- 18 Local Aviation, Airports and Operators;
- 8 Community bodies;
- 4 Statutory (NATMAC);
- 3 Environmental bodies; and
- 1 Technical (ATM) stakeholder.

¹ Hosted on MS Forms and available on the portal titled '*CPJ-5641-DOC-016 V1.0 Design Principle Survey*'.

² Briefing took place on 18 Nov 21. Presentation slides are available on the portal titled '*CPJ-5641-PRE-015 V1.0 ACC DP Presentation*'.

- 1.2.2. The survey results are contained with Section 2 and non-survey feedback in Section 3. The Final Design Principles, as determined through this targeted stakeholder engagement, are contained within Section 4.
- 1.2.3. A summary of the survey results, redacted to remove personal details and with associated graphs, is included in this submission and titled; *“LSA ACP DP Survey Results-Redacted”*.
- 1.2.4. The survey results are in a summary format that cannot be manipulated, therefore specific responses are not viewable. This report has extracted those comments under the respective Design Principle (DP) review.

1.3. Methodology

- 1.3.1. The data from the MS Form was extracted from the MS Excel output³. The degree to which stakeholders agreed/disagreed with each DP was analysed such that a percentage of the responses was established. Amplifying information, where provided, was also considered, and is included in the narrative explaining the evolution of the DPs.

³ Survey Results (with personal details removed) can be found on the portal titled: ‘CPJ-5641-DOC-017 V1.0 Survey Results’

2. Survey Responses and Impact

2.1. Question 1

2.1.1. It is possible that, during the options development phase, flightpaths may be identified that have a lower potential environmental impact and greater efficiency. These flightpaths may of course impact new people currently not overflown routinely. **Would you prefer that any future LSA flight procedures be designed to deliver the best possible routes in terms of noise, emissions and operational efficiency, or is the avoidance of impacting new communities of greater importance?** Available answers:

- Avoid affecting new people; or
- Seek options that reduce environmental impact and have greater efficiency; or
- Don't know; and
- Optional open text field to provide amplification on your answer

2.1.2. 56% of respondents answered that we should 'Seek options to reduce environmental impact and have greater efficiency'. 9% responded that we should 'Avoid affecting new people'. 24% either had no comment on priority, did not know or made comments showing no strong preference.

2.1.3. Three comments from NATMAC addresses cited their preference to limit the impact on the GA community, avoid changing CTR/CTA dimensions and for Safety to be the priority.

2.1.4. Stansted Airport responded their top priority would be no adverse impact on their operations.

2.1.5. Southend Borough Council referred to the need to abide by the Section 106 agreement; LSA acknowledges that any change to the airports Noise Abatement Procedures (NAPs) throughout the planning and implementation phases would have to be formalised through agreement with the LPA but it has no plans to change the NAPs.

2.1.6. **Comment** - The avoidance of new people appears not to be a significant issue; the majority of the respondents chose environmental impact or had no strong preference. A limited number cited limitation to disruption on themselves as larger driving factors. The 'Environmental' DPs (DP2-6) capture the desire to '*Seek options that reduce environmental impact and have greater efficiency*'.

2.2. Question 2

2.2.1. It may be possible to concentrate or merge flightpaths in such a way that the environmental impact is always concentrated in certain areas (perhaps because the route is more efficient or affects less people). Conversely, it may be possible to design a system that disperses the environmental impact. Dispersion would affect more people but less often. **Would you prefer to see a system of flight paths that concentrates the impact or disperses it?** Available answers:

- Concentrate; or
- Disperse; or

- Don't know; and
 - Optional open text field to provide amplification on your answer.
- 2.2.2. 41% of respondents would like to see the impact dispersed whilst 15% would like to see it concentrated. 35% had no comment or clear preference or did not know.
- 2.2.3. Two comments from NATMAC addresses cited their preference to limit the impact on the GA community and avoid changing CTR/CTA dimensions.
- 2.2.4. **Comment-** The dispersion of the impact of aircraft noise would appear to have greater support than the concentration of it however, not definitively so; this will be highlighted to the procedure designers during the options development phase. Options that provide a level of dispersion will be considered at Stage 2.

2.3. Question 3

- 2.3.1. It may be possible to avoid certain areas. In order of preference (1) being of greatest most importance and (3) being of least importance), please advise which of the following you would like us to protect from the impact of aviation noise and emissions. Available answers:
- Built-up areas (i.e. densely populated);
 - Rural Areas (i.e. sparsely populated);
 - Areas of Tranquillity (e.g. National Parks, AONBs, recreational parks etc.)
 - Optional open text field to provide amplification on your answer.
- 2.3.2. 15% of respondents did not answer this question. If responses were scored 3 points for 'Most Important', 2 points for 'Important' and 1 point for 'Least Important', the following scores would apply based upon the responses (Note: one respondent only gave a response for 'Built up areas' so the assumption has been made that the other two options were valued as 'Least Important'):
- Built Up Areas (Score 68 = 39%);
 - Tranquillity (Score 59 = 33%); and
 - Rural Areas (Score 49 = 28%).
- 2.3.3. An additional comment was received siting some specific areas to be aware of even though they broadly agreed that 'Built Up Areas' were of primary importance:
- 'Properties in rural areas are still important (but almost exclusively in Rochford). Disturbance of birds over-wintering on the internationally and nationally important feeding grounds in the Thames and Roach Estuaries is also important but considered to be of less significant than impacts on residents of Leigh and around the Airport.'*
- 2.3.4. **Comment** - Whilst there is no strong 'winner' between the top two options, the 'Rural Areas (i.e. sparsely populated areas)' appear to be of lesser importance to those who have responded albeit marginally. Again, although marginal, 'Built up areas' appear to be of a higher importance overall to the responders.

2.4. Question 4

2.4.1. Are there any specific areas or noise sensitive buildings you would like us to be made aware of where overflight should be avoided if possible? Available answers:

- Yes (Please expand on answer); or
- No; and
- Optional open text field to provide amplification on your answer.

2.4.2. 68% of respondents had no areas to mention. There were 6 responses detailing specific areas, these were:

- RSPB areas (Wallasea, Rainham Marshes, South Essex reserves) – *mentioned multiple times*;
- Rayleigh Mount;
- Northey Island; and
- Locations of education, health care and religious impact.

2.4.3. An additional comment was received about ground movements on the Charlie Taxiway however this type of airport activity does not form part of the development of the DPs or this ACP.

2.4.4. **Comment** - The areas detailed at paragraph 2.4.2 will be highlighted to the designers during the options development phase as areas to try and avoid where possible.

2.5. Question 5

2.5.1. Some airports have sought opportunities to build into the system known periods of relief from the adverse effects of aviation noise. These known or scheduled periods are known as 'Respite' periods during which times aircraft are channelled onto 'Respite' routes relieving the burden on certain communities. It must be stressed that airspace constraints sometimes limit the art of the possible, however it is something that could be investigated. **Given the option, would you like to see a system developed that had periods of known respite built-in?** Available answers:

- Yes; or
- No; or
- Don't mind; or
- Don't know; and
- Optional open text field to provide amplification on your answer.

2.5.2. 47% of respondents would be keen to see a system developed that had periods of known respite built-in. 44% didn't know, didn't mind or had no comment, with the remaining 9% saying no to known periods of built-in respite.

2.5.3. **Comment** – Whilst less than half of respondents wanted to see known periods of respite, this contrasts significantly with the 9% who didn't want it. Where possible options should be explored that consider periods of respite.

2.6. Question 6 – DP 1

2.6.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP1 – Importance of Safety – The airspace design and its operation must be as safe or safer than today.

2.6.2. **Response:** 71% Strongly Agreed and 19% Agreed with this DP, with 10% remaining Neutral.

2.6.3. **Impact:** Safety of the operation is fundamental and there are no compromises to be had. No comments were made that challenged this DP and as such it remains unchanged.

2.7. Question 7 – DP 2

2.7.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP2 – Overflight – The new procedures should not increase the number of people overflown by aircraft using the Airport.

2.7.2. **Response:** 39% of respondents Agreed and 13% Strongly Agreed with this DP (52% in favour), 42% remained Neutral with the remainder Disagreeing.

2.7.3. **Impact:** More than half of respondents wished to see no increase in the number of people overflown. DP remains unchanged however the relative importance of this DP is lower due to the mixed response received.

2.8. Question 8 – DP 3

2.8.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP3 – Noise Footprint – The new procedures should not increase the noise footprint of the existing airport operation, i.e. it should not increase the number of people affected within the 51dBA LAeq 16 hour contour.

2.8.2. **Response:** 42% of respondents Agreed with 23% Strongly Agreeing (65% in favour). 32% were Neutral with only 3% Disagreeing. The one respondent who disagreed represented a private aviation stakeholder, but they added no amplifying comment.

2.8.3. **Impact:** It is considered that a 65% in favour support is justification enough to carry forward this DP with the addition of elements of DP6. The wording is changed as follows:

DP3 – Noise Footprint – The new procedures should not increase the noise footprint of the existing airport operation, i.e. it should not increase the number of people affected within

the 51dBA LAeq 16 hour contour. Any future procedures are to respect the Section 106 agreement in relation to Noise Abatement.

2.9. Question 9 – DP 4

2.9.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP4 – Tranquillity – Implementation should minimise impact and disturbance to the Kent Downs Areas of Outstanding National Beauty (AONB).

2.9.2. **Response:** 44% gave a Neutral response to this DP, with 16% Disagreeing. 22% Agreed and 18% Strongly Agreed (40% in favour).

2.9.3. **Impact:** Whilst CAP1616 states that *‘where practicable, it is desirable that airspace routes below 7,000 feet should seek to avoid flying over Areas of Outstanding Natural Beauty (AONB) and National Parks’*, there is a mixed response specifically in relation to avoidance of the Kent Downs AONB and it is perhaps of less importance than some of the areas highlighted in the responses to Question 4. This DP is therefore removed albeit in keeping with the Government’s Air Navigation Guidance, options will be developed that seek to avoid overflight of AONBs.

2.10. Question 10 – DP 5

2.10.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP5 – Emissions and Air Quality – The new design should seek to minimise the growth in aircraft emissions, the further degradation in local air quality and adverse ecological impacts to address growing concerns about the impact of aviation on climate change.

2.10.2. **Response:** 40.5% Agreed and 37.5% Strongly Agreed (78% in favour), 19% were Neutral with only 3% Disagreeing.

Note: Two respondents disagreed however, one of these responses cited the following reasoning:

‘Disagree-the aim should be much more ambitious to first stabilise then reduce emissions and improve air quality’.

As this is a comment broadly in favour of the DP the response has been included in the figures for ‘Agree’.

2.10.3. **Impact:** As a result of the comment above, the DP is revised to reflect an ambition to stabilise and, if possible, improve the situation. New wording as follows:

‘The new design should seek to minimise and, where possible reduce, the growth in aircraft emissions, the further degradation in local air quality and adverse ecological impacts to address growing concerns about the impact of aviation on climate change.’

2.11. Question 11 – DP 6

2.11.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP6 – Noise Preferential Routes – Should the SIDs need to be amended to accommodate the broader FASI-S programme of change, the amendments must honour the Section 106 NPRs.

2.11.2. **Response:** 65.5% In favour (37.5% Strongly Agree, 28% Agree), 31% Neutral and 3% Disagree.

2.11.3. **Impact:** Southend Borough Council had the following to say in their amplifying remarks:

‘More environmentally friendly flightpaths would be welcomed unless that conflicts with the agreed parameters of Section 106’.

2.11.4. LSA does not have NPRs but maintains adherence to Noise Abatement Procedures (NAPs) that can be found in the UK AIP. It was considered appropriate to consolidate the intent of this DP with **DP3 – Noise Footprint** and **DP14 – Departure Procedures** and remove reference to NPRs.

2.12. Question 12 – DP 7

2.12.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP7 – Operational Requirements – The new procedures should address the needs of most operators at LSA.

2.12.2. **Response:** 58% in favour (19% Agree, 39% Strongly Agree) 35.5% Neutral and 6.5% Strongly Disagree.

2.12.3. **Impact:** The stakeholders who disagreed represented a Parish Council and a GA organisation. No amplifying remarks were provided. Despite these disagreements, the DP seems reasonable, and accordingly the DP remains unchanged.

2.13. Question 13 – DP 8

2.13.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP8 – Airspace Dimensions – The airspace design should afford the appropriate volume of controlled airspace to contain and support commercial air transport for both runways, enable safe, efficient access for other types of operation and release controlled airspace that is not required.

- 2.13.2. **Response:** 80% in favour (45% Strongly Agree, 36% Agree), 16% Neutral with 3% Disagree. The respondent who disagreed added nothing further and represented a Parish Council. A representative of a Glider Community stated that:

‘Airspace Dimensions and Airspace Complexity. Any new design of the controlled airspace for the CTR and CTA should not be increased in size/area or the lower height levels in the CTA decreased.’

- 2.13.3. **Impact:** DP remains unchanged as it was largely supported.

2.14. Question 14 – DP 9

- 2.14.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP9 – Airspace Complexity – The airspace design should seek to reduce complexity and bottlenecks in controlled and uncontrolled airspace and contribute to a reduction in airspace infringements.

- 2.14.2. **Response:** 87% in favour (50% Strongly Agree, 37% Agree), 10% Neutral and 3% Disagree. The respondent who disagreed added nothing further and represented himself.

- 2.14.3. **Impact:** DP was largely supported and remains unchanged.

2.15. Question 15 – DP 10

- 2.15.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP10 – Compliance – The design shall be fully compliant with the design criteria stated in ICAO Doc 8168 (PANS OPS), acceptable to the CAA and, the implementation shall follow all applicable legislation and regulations.

- 2.15.2. **Response:** 32% Agree, 42% Strongly Agree (74% in favour), 26% Neutral.

- 2.15.3. **Impact:** DP was largely supported however has similarities with other DPs. It was considered appropriate to consolidate this DP with DP11 and DP12.

2.16. Question 16 – DP 11

- 2.16.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP11 – Aircraft Category – The new procedures shall be technically flyable by all aircraft types in approach Speed Categories A through D.

2.16.2. **Response:** 68% in favour (45% Strongly Agree, 23% Agree), 29% Neutral, 3% Disagree. A paramotor pilot disagreed with this DP but added no further comment.

2.16.3. **Impact:** DP was largely supported however has similarities with other DPs. It was considered appropriate to consolidate this DP with DP10 and DP12.

2.17. Question 17 – DP 12

2.17.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP12 – Equipage and Approval – The new procedures shall be flyable by the majority of LSA commercial aircraft operators.

2.17.2. **Response:** 65% in favour (49% Strongly Agree, 16% Agree), 32% Neutral, 3% Disagree.

2.17.3. **Impact:** DP was largely supported however has similarities with other DPs. It was considered appropriate to consolidate this DP with DP10 and DP11.

2.18. Question 18 - DP 13

2.18.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP13 – Arrival Transitions – The arrival transition designs shall seamlessly integrate with the new GNSS instrument approach procedures at LSA and if possible, the existing ILS approach procedures.

2.18.2. **Response:** 68% in favour (45% Strongly Agree, 23% Agree), 29% Neutral, 3% Disagree.

2.18.3. **Impact:** DP was largely supported however has similarities with other DPs. It was considered appropriate to consolidate this DP with DP14 and DP15.

2.19. Question 19 – DP 14

2.19.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP14 – Departure Procedures – Should the SIDs require amending to satisfy the broader FASI-S programme of change, these shall terminate at the agreed ‘Gateways’ into the route network and should be deconflicted from the arrival transitions.

2.19.2. **Response:** 68% in favour (23% Strongly Agree, 45% Agree), 32% Neutral.

2.19.3. **Impact:** DP was largely supported however has similarities with other DPs. It was considered appropriate to consolidate this DP with DP13 and DP15.

2.20. Question 20 – DP 15

2.20.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP15 – Coordination – The new procedures result in a reduction in the amount of tactical coordination required by ATCOs.

2.20.2. **Response:** 78% in favour (39% Strongly Agree, 39% Agree), 22% Neutral.

2.20.3. **Impact:** DP was largely supported however has similarities with other DPs. It was considered appropriate to consolidate this DP with DP13 and DP14.

2.21. Question 21 – DP 16

2.21.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP16 – Cost of Change – The new procedures shall be implemented in a cost-effective manner.

2.21.2. **Response:** 52% in favour (13% Strongly Agree, 39% Agree), 39% Neutral, 9% against (6% Disagree, 3% Strongly Disagree).

2.21.3. **Impact:** Due to the obvious intent, and recent funding grants made available, this DP is deemed unnecessary because of agreed funding criteria and robust oversight. Recommendation is to remove this DP.

2.22. Question 22 – DP 17

2.22.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP17 – Operational Cost – Provided it does not have an adverse impact of community disturbance, procedures should be designed to optimise fuel efficiency.

2.22.2. **Responses:** 68% in favour (36% Strongly Agree, 32% Agree), 23% Neutral, 9% against (6% Disagree, 3% Strongly Disagree). Those that disagreed included the Chair of the ACC and two GA representatives. No amplification was provided.

2.22.3. **Impact:** DP remains unchanged as there was a reasonable level of support.

2.23. Question 23 – DP 18

2.23.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP18 – AMS Realisation – This ACP must serve to further, and not conflict with, the realisation of the AMS.

2.23.2. **Response:** 65% in favour (26% Strongly Agree, 39% Agree), 35% Neutral.

2.23.3. **Impact:** DP remains unchanged and are provided to Change Sponsors by the CAA in CAP1711.

2.24. Question 24 – DP 19

2.24.1. To what extent do you agree with each of the draft DPs? Please provide comment as to how you would prefer the Design Principle in question reworded or why you would like to see it removed altogether.

DP19 – PBN – The new procedures should capitalise on as many of the potential benefits of PBN implementation as are practicable.

2.24.2. **Response:** 74% in favour (39% Strongly Agree, 35% Agree), 26% Neutral.

2.24.3. **Impact:** DP remains unchanged as it received a healthy level of support, and no one disagreed.

2.25. Question 25

2.25.1. Have we missed anything that should be incorporated as a Design Principle? Available answers:

- Yes (please provide amplification); or
- No, I'm content you've captured everything; or
- Not sure; and
- Optional open text field to provide amplification on your answer.

2.25.2. 70% of respondents had no further comments. There were 9 additional comments made, these are detailed below.

2.25.3. **Local Airport Authority:** *'CO-ORDINATED & HARMONISED ROUTES - LSA should consider the effect of any changes in its flight routes on the behaviour of other airspace users making use of the airspace, including other ANSPs, around Southend Airport. Full consideration of other airspace users (as stakeholders) in the vicinity of LSA in the design and development of flight routes to and from the airfield.'*

2.25.3.1. **Comment:** This ACP is being progressed as part of the wider FASI(S) project. LSA is expected to participate in the development of the AMS Masterplan, in conjunction with ACOG, NERL

- and the other identified airports, which should address the concerns raised with this comment.
- 2.25.4. **Environmental Body:** *'The implementation should also minimise impact and disturbance on protected and designated sites, to ensure the protection of the environment.'*
- 2.25.4.1. **Comment:** The points made in this comment are captured in Question 4 and within DP4 (Tranquillity) and DP5 (Emissions and Air Quality). Both DPs remain unchanged, and various sites have been identified as points to note during the design options phase.
- 2.25.5. **GA Community:** *'What will be the process for existing Letters of Agreement for private flights originating with SEN CTR?'*
- 2.25.5.1. **Comment:** Any current Letters of Agreement will be referenced within the ACP process or subject to re-negotiation as applicable.
- 2.25.6. **ANSP:** *'On 'Departure Procedures' - we are no longer using terms such as gateways. We will be working with LSA, ACOG and other ACP sponsors in a collaborative manner in order to ensure the designs work in a coherent manner that provides benefits for all'*
- 2.25.6.1. **Comment:** As the feedback states LSA will be working with ACOG and other ACP sponsors as part of the wider FASI-S project.
- 2.25.7. **GA Community:** *'Airspace Dimensions and Airspace Complexity. Any new design of the controlled airspace for the CTR and CTA should not be increased in size/area or the lower height levels in the CTA decreased'*
- 2.25.7.1. **Comment:** LSA will continue to follow the CAP1616 process and proactively engage with stakeholders throughout this ACP. The airspace ultimately needs to be fit for purpose and will potentially evolve as the procedures themselves evolve. LSA will continue to provide access to all airspace users.
- 2.25.8. **GA Community:** *'as aircraft become more emission friendly noise will be the major factor, current and future plans should include reduction in flying over built up areas where possible and local authority planning approval of houses and industrial estates under flight paths questioned and disallowed. please feel free to contact me and if comments are published de identify me. as a pilot of General and commercial aircraft I am happy to discuss ideas.'*
- 2.25.8.1. **Comment:** This point has been captured and addressed in Question 3 where the avoidance of built-up areas came out of greater importance among the survey respondents.
- 2.25.9. **Council Body:** *'Formulation of local consensus – The new procedures are influenced by the views and preferences of local residents.'*
- 2.25.9.1. **Comment:** LSA will continue to proactively engage local stakeholders during this ACP and follow the CAP1616 process. This process will ensure that the development of the procedures is influenced by the preferences of local residents and other relevant stakeholders.

- 2.25.10. **Council Body:** *‘Beyond matters of aviation safety and operational efficiency, the key focus of this work must be on significantly improving conditions for residents affected by Airport operations and addressing the impacts of the Airport on environmental and climate change matters. All Airspace Management should be integrated with ground efficiency and effective operation of noise and environmental controls for all Southend residents.’*
- 2.25.10.1. **Comment:** LSA will continue to diligently follow the CAP1616 process and engage local and associative stakeholders in this ACP to ensure that the relevant Initiatives contained within the AMS are applied. Some of the elements raised in the comments above fall out of the scope of an ACP and relate to noise and emissions management on the ground. LSAs commitment to matters related to the environment can be seen within our [Environmental Policy Statement](#).

2.25.12. **GA Community (BGA):**

Recognition that GA including sporting and recreational aviation has legitimate rights of access to airspace.
Sponsors must show how they are integrating their proposal within the overall UK airspace modernisation context (for example, proposals which do not connect efficiently between upper and lower airspace (potentially under different airspace "management") would only inhibit overall airspace efficiency and therefore not receive our support.
Reiteration that the UK airspace's default classification is G.
Reiteration that ICAO Class E airspace default is without the addition of a TMZ or RMZ
Expectation that data used, particularly forecasts, includes details of any and all assumptions and available supporting evidence re; <ul style="list-style-type: none"> - reasonably justified forecast traffic levels - analysis of overall airspace safety changes, ie based on modelling and evidence rather than subjective opinion
Minimum size of existing and any proposed controlled airspace.
Steeper and continuous climbs and descents for cost and environmental benefits as well as minimisation of controlled airspace footprint.
Use of Class E airspace as an alternative to class C and D airspace.
Optimisation of the development work above and below the 7,000ft NATS en-route split.
Flexible use of airspace.
Examine options for interoperability with existing e-conspicuity, eg ADS-B, FLARM and PilotAware.
Efficient consultation.
Plan GNSS approaches outside controlled airspace to minimise impact on GA including sporting and recreational aviation and to ensure their continued right of access to the airspace

2.25.13. **Comment:** The above table is generic and has been identified as being identical to responses issued in relation to other airport ACPs and does not specifically address the DPs relevant to LSA.

3. Non-Survey Feedback

3.1. London Heathrow Airport (LHR)

3.1.1. Feedback was received from LHR and is shown in its entirety below:

'LHR Response to LSA Design Principles Engagement – 31st October 2021

To whom it may concern,

Thank you for sharing information on your proposed ACP for airspace modernisation, and for the opportunity to contribute to Southend Airport's establishment of Design Principles for this ACP.

We are supportive of the need to modernise airspace across the UK, and we have also begun our own ACP for the re-design of departure and arrival routes from/to our two runways at Heathrow. We are supportive of your approach to engagement and of the proposed themes for design principles - Safety, Environmental, Operational, Technical, Economic & Strategic Policy.

We have reviewed the background information and the draft Design Principles you have set out but as we are also engaging on our own Design Principles currently, we have no comments at this stage.

We look forward to engaging with you further as the Airspace Modernisation programme progresses'

3.1.2. This is a welcomed letter of support from LHR for the proposed DPs and the approach taken by LSA.

3.2. Rochester Airport

3.2.1. Feedback was received from Rochester Airport and is shown below:

'Hi,

Have tried on a number of occasions, unable to get onto your feedback site, all we get is "This form is currently not accepting responses".

Rochester Airport is happy with what we have seen.

Please remember GA when going through the next stages.

Should you have any questions, please do not hesitate to call me.'

3.2.2. Whilst it is unfortunate the feedback form was unavailable when Rochester Airport tried to access it, this is a welcome show of support from a local GA airport.

4. Final Design Principles

4.1. Overview

4.1.1. We drafted DPs for consideration and review; they were not listed in priority order. The survey gave stakeholders the opportunity to comment on them and offer up further suggestions.

4.1.2. We have removed the following DPs:

- **DP4 – Tranquillity** as there was insufficient support to justify having a DP that specifically addressed the Kent Downs Areas of Outstanding National Beauty (AONB). It is acknowledged that the Government’s Air Navigation Guidance still requires Change Sponsor’s to minimise the impact to such areas.
- **DP16 – Cost of Change** as it has been deemed unnecessary due to the recent grants and the robust funding criteria associated with this project.

4.1.3. Where possible certain DPs have been consolidated following feedback from the survey and to ensure a manageable number of DPs is taken forward to Options Development and Appraisal. The essence of the consolidated DPs has been captured to ensure all elements are reflected. A brief notification is provided where DPs have been consolidated. Accordingly, the following paragraphs detail the DPs that go forward to the CAA’s ‘Define’ Gateway intended for use in Stage 2 of the process. A summary table is provided at Annex B.

4.2. Safety

4.2.1. **DP1 – Importance of Safety** – The airspace design and its operation must be as safe or safer than today.

4.3. Environmental

4.3.1. The original DP6 has been included within DP3, and also captured within the Technical section under the wider Systemisation DP relating to departure procedures.

4.3.2. **DP2 – Overflight** – The new procedures should not increase the number of people overflown by aircraft using the Airport.

4.3.3. **Amended - DP3 – Noise Footprint** – The new procedures should not increase the noise footprint of the existing airport operation, i.e. it should not increase the number of people affected within the 51dBA $L_{Aeq, 16 \text{ hour}}$ contour. **Any future procedures are to respect the Section 106 agreement in relation to Noise Abatement.**

4.3.4. **Amended - DP4 – Emissions and Air Quality** – The new design should seek to minimise **and, where possible reduce**, the growth in aircraft emissions, the further degradation in local air quality and adverse ecological impacts to address growing concerns about the impact of aviation on climate change.

4.4. Operational

- 4.4.1. **DP5 – Operational Requirements** – The new procedures should address the needs of most operators at LSA.
- 4.4.2. **DP6 – Airspace Dimensions** – The airspace design should afford the appropriate volume of controlled airspace to contain and support commercial air transport for both runways, enable safe, efficient access for other types of operation and release controlled airspace that is not required.
- 4.4.3. **DP7 – Airspace Complexity** – The airspace design should seek to reduce complexity and bottlenecks in controlled and uncontrolled airspace and contribute to a reduction in airspace infringements.

4.5. Technical

- 4.5.1. Some of the DPs under this heading have been consolidated into a single DP, the consolidated DPs are as follows:
- DP10, DP11 and DP12 are consolidated into DP8.
 - DP13, DP14 and DP15 are consolidated into DP9.
- 4.5.2. **DP8 – Technical Requirements** – The design shall be fully compliant with PANS-OPS and UK CAA criteria to meet the technical capability requirements of aircraft using the airport.
- 4.5.3. **DP9 – Systemisation** – The arrival transitions and departure procedures shall be deconflicted and integrate with the en-route network, as per the FASI(S) programme, and in the case of the arrival transitions shall integrate with the Instrument Approach Procedures (IAPs) reducing the requirement for tactical coordination.

4.6. Economic

- 4.6.1. **DP10 – Operational Cost** – Provided it does not have an adverse impact of community disturbance, procedures should be designed to optimise fuel efficiency.

4.7. Strategic Policy

- 4.7.1. The CAA has insisted that, subject to the overriding principle of maintaining a high standard of safety, the highest priority principle of this airspace change, that cannot be discounted, is that it accords with the CAA's published Airspace Modernisation Strategy (CAP1711) and any future plans associated with it. LSA is expected to participate in the development of the AMS Masterplan, in conjunction with ACOG, NERL and the other identified airports. The following DP is therefore second only to maintenance of safety.
- 4.7.2. **DP11 – AMS Realisation** – This ACP must serve to further, and not conflict with, the realisation of the AMS.
- 4.7.3. Note: It is accepted by the CAA that adherence to this DP, in what is a coordinated modernisation programme, may impact upon the development of 'Options'.

- 4.7.4. **DP12 – PBN** – The new procedures should capitalise on as many of the potential benefits of PBN implementation as are practicable. This includes predictability, efficiency, continuous climb and descent operations with the intention of reducing carbon emissions.

A. Stakeholder List

A.1. Community Stakeholders

LSA Consultative Committee (ACC)	
Castle Point Borough Council	Southend Residents Association (inc West Leigh Residents Association)
Essex County Council	Independent Representative
Leigh Town Council	Essex Chambers of Commerce
Maldon District Council	Rochford Board of Trade
Rochford District Council	Southend Business Partnership
Rochford Hundred Association of Local Councils	Southend Flying Clubs
Southend-on-sea Borough Council	

Community Stakeholders	
Friends of North Kent Marshes	Kent County Council
RSPB – Wallasea Island	
SAEN (Stop Airport Expansion & Noise)	

A.2. Environmental Stakeholders

Environmental Bodies	
CPRE Essex	Friends of the Earth
CPRE Kent	National Trust
English Heritage	Natural England
Environment Agency	

A.3. Technical Stakeholders

Air Navigation Services Providers/ATC	
NATS En-Route Ltd (NERL)	D&D (Distress & Diversion)
LTC (London Terminal Control)	

Aircraft Operators	
ASL Airlines	QinetiQ
easyJet	Titan
Essex Air Ambulance	Wizz
Essex PASU	2Excel Aviation
Vista Jet Ltd	Net Jets
London Executive Aviation (LUX)	Muskany Ltd
TBMI Aviation	Private Operator

A.4. Local Aviation Stakeholders

Neighbouring Airports/Airfields/Flying Clubs/LSA Tenants	
London Luton Airport	London City Airport
London Stansted Airport	London Gatwick Airport
London Heathrow Airport	London Biggin Hill Airport
Headcorn Aerodrome	Stapleford Aerodrome
Rochester Airport	Earls Colne Airfield
St Lawrence Aerodrome	Stoke Airfield
Tillingham Aerodrome	Barling Airfield

Neighbouring Airports/Airfields/Flying Clubs/LSA Tenants

Stow Maries Great War Aerodrome	Maylandsea (Paragliding)
Avionicare Ltd	Air Livery Ltd
Seawing Flying Club	Southend Flying Club
Canewdon Paragliding	Essex and Suffolk Gliding Club
Kent Gliding Club	

A.5. Statutory Aviation Stakeholders

National Air Traffic Management Advisory Committee

Airspace4All	General Aviation Alliance (GAA)
Airfield Operators Group (AOG)	Honourable Company of Air Pilots (HCAP)
Aircraft Owners and Pilots Association (AOPA)	Helicopter Club of Great Britain (HCGB)
Aviation Environment Federation (AEF)	Isle of Man CAA
British Airways (BA)	Light Aircraft Association (LAA)
BAe Systems	Low Fare Airlines
British Airline Pilots Association (BALPA)	Military Aviation Authority (MAA)
British Balloon and Airship Club	Ministry of Defence - Defence Airspace and Air Traffic Management (MoD DAATM)
British Gliding Association (BGA)	NATS
British Helicopter Association (BHA)	PPL/IR (Europe)
British Microlight Aircraft Association (BMAA) / General Aviation Safety Council (GASCo)	UK Airprox Board (UKAB)
British Parachute Association (BPA)	

B. Final Design Principles Summary Table

DP number	Draft DP	Amended, Removed or Consolidated?	New DP number	Final DP
1	Importance of Safety - The airspace design and its operation must be as safe or safer than today.	Unchanged	1	Importance of Safety - The airspace design and its operation must be as safe or safer than today.
2	Overflight – The new procedures should not increase the number of people overflown by aircraft using the Airport.	Unchanged	2	Overflight – The new procedures should not increase the number of people overflown by aircraft using the Airport.
3	Noise Footprint – The new procedures should not increase the noise footprint of the existing airport operation, i.e. it should not increase the number of people affected within the 51dBA LAeq 16 hour contour.	Amended	3	Noise Footprint – The new procedures should not increase the noise footprint of the existing airport operation, i.e. it should not increase the number of people affected within the 51dBA LAeq 16 hour contour. Any future procedures are to respect the Section 106 agreement in relation to Noise Abatement.
4	Tranquillity – Implementation should minimise impact and disturbance to the Kent Downs Areas of Outstanding National Beauty (AONB).	Removed	-	-

DP number	Draft DP	Amended, Removed or Consolidated?	New DP number	Final DP
5	Emissions and Air Quality – The new design should seek to minimise the growth in aircraft emissions, the further degradation in local air quality and adverse ecological impacts to address growing concerns about the impact of aviation on climate change.	Amended	4	Emissions and Air Quality – The new design should seek to minimise and, where possible reduce , the growth in aircraft emissions, the further degradation in local air quality and adverse ecological impacts to address growing concerns about the impact of aviation on climate change.
6	Noise Preferential Routes – Should the SIDs need to be amended to accommodate the broader FASI-S programme of change, the amendments must honour the Section 106 NPRs.	Consolidated with DP3	3	Noise Footprint – The new procedures should not increase the noise footprint of the existing airport operation, i.e. it should not increase the number of people affected within the 51dBA L _{Aeq 16 hour} contour. Any future procedures are to respect the Section 106 agreement in relation to Noise Abatement.
7	Operational Requirements – The new procedures should address the needs of most operators at LSA.	Unchanged	5	Operational Requirements – The new procedures should address the needs of most operators at LSA.

DP number	Draft DP	Amended, Removed or Consolidated?	New DP number	Final DP
8	Airspace Dimensions – The airspace design should afford the appropriate volume of controlled airspace to contain and support commercial air transport for both runways, enable safe, efficient access for other types of operation and release controlled airspace that is not required.	Unchanged	6	Airspace Dimensions – The airspace design should afford the appropriate volume of controlled airspace to contain and support commercial air transport for both runways, enable safe, efficient access for other types of operation and release controlled airspace that is not required.
9	Airspace Complexity – The airspace design should seek to reduce complexity and bottlenecks in controlled and uncontrolled airspace and contribute to a reduction in airspace infringements.	Unchanged	7	Airspace Complexity – The airspace design should seek to reduce complexity and bottlenecks in controlled and uncontrolled airspace and contribute to a reduction in airspace infringements.
10	Compliance – The design shall be fully compliant with the design criteria stated in ICAO Doc 8168 (PANS OPS), acceptable to the CAA and, the implementation shall follow all applicable legislation and regulations.	Consolidated with DP11 and DP12	8	Technical Requirements – The design shall be fully compliant with PANS-OPS and UK CAA criteria to meet the technical capability requirements of aircraft using the airport.

DP number	Draft DP	Amended, Removed or Consolidated?	New DP number	Final DP
11	Aircraft Category – The new procedures shall be technically flyable by all aircraft types in approach Speed Categories A through D.	Consolidated with DP10 and DP12	8	Technical Requirements – The design shall be fully compliant with PANS-OPS and UK CAA criteria to meet the technical capability requirements of aircraft using the airport.
12	Equipage and Approval – The new procedures shall be flyable by the majority of LSA commercial aircraft operators.	Consolidated with DP10 and DP11	8	Technical Requirements – The design shall be fully compliant with PANS-OPS and UK CAA criteria to meet the technical capability requirements of aircraft using the airport.
13	Arrival Transitions – The arrival transition designs shall seamlessly integrate with the new GNSS instrument approach procedures at LSA and if possible, the existing ILS approach procedures.	Consolidated with DP14 and DP15	9	Systemisation – The arrival transitions and departure procedures shall be deconflicted and integrate with the en-route network, as per the FASI(S) programme, and in the case of the arrival transitions shall integrate with the Instrument Approach Procedures (IAPs) reducing the requirement for tactical coordination.
14	Departure Procedures – Should the SIDs require amending to satisfy the broader FASI-S programme of change, these shall terminate at the agreed ‘Gateways’ into the route network and should be deconflicted from the arrival transitions.	Consolidated with DP13 and DP15	9	Systemisation – The arrival transitions and departure procedures shall be deconflicted and integrate with the en-route network, as per the FASI(S) programme, and in the case of the arrival transitions shall integrate with the Instrument Approach Procedures (IAPs) reducing the requirement for tactical coordination.

DP number	Draft DP	Amended, Removed or Consolidated?	New DP number	Final DP
15	Coordination – The new procedures result in a reduction in the amount of tactical coordination required by ATCOs.	Consolidated with DP13 and DP14	9	Systemisation – The arrival transitions and departure procedures shall be deconflicted and integrate with the en-route network, as per the FASI(S) programme, and in the case of the arrival transitions shall integrate with the Instrument Approach Procedures (IAPs) reducing the requirement for tactical coordination.
16	Cost of Change – The new procedures shall be implemented in a cost-effective manner.	Removed	-	-
17	Operational Cost – Provided it does not have an adverse impact of community disturbance, procedures should be designed to optimise fuel efficiency.	Unchanged	10	Operational Cost – Provided it does not have an adverse impact of community disturbance, procedures should be designed to optimise fuel efficiency.
18	AMS Realisation – This ACP must serve to further, and not conflict with, the realisation of the AMS.	Unchanged	11	AMS Realisation – This ACP must serve to further, and not conflict with, the realisation of the AMS.
19	PBN – The new procedures should capitalise on as many of the potential benefits of PBN implementation as are practicable.	Unchanged	12	PBN – The new procedures should capitalise on as many of the potential benefits of PBN implementation as are practicable.



This Page Is Intentionally Blank

COPYRIGHT © 2021 Cyrrus Projects Limited

This document and the information contained therein is the property of Cyrrus Projects Limited. It must not be reproduced in whole or part or otherwise disclosed to parties outside of Cyrrus Projects Limited without written consent.

Cyrrus Projects Limited is a company registered in England and Wales: Company Number 06828433. Registered Office: Cyrrus House, Concept Business Court, Thirsk, YO7 3NY.