

## Glasgow Airport FASI-N Airspace Change Proposal

## Step 2A Annex 1 - Design Principle Evaluation


Date: 26 May 2022

Document Version: Final 1.0

Status: Public

Option Name	The airgace design and its operation must be as safe or safe than today.	Facilitate the growth in quicker, epidem and conference of the surgest configuring the surgest to improve efficiency and for air transport.	Design the appropriate willume of controlled arrupace to support multiple and the second second multiple and the second second controlled simplice that its not required.	Mitgete any future requirements for alticate bodies for indexed fraffic and holding on the ground pre-digatives for outbound traffic	Mooning the total above or affects of accord tops and sound integration on physical and district hereits and another a			Offer communities options for both noise concentrations and noise dispersion through the user predictable and an ungarent multiplarense option of other regits are multiplarense options within the technical AFG space, are constructed and periodiate constrained.		areas and buildings, national parks, areas of		Mitigate the impacts on deficial communities that are courrently afficiated by aircraft noise on final approach or the vicinity or the immediate films out where overfight is un provided in.	Reflectionsploy pollocitores is consolid and occurrential angusts and control of a weak of the magnetic filtingenesis.			Collaborate with other Scottinh airports and NATS design options are compatible with the widdle programme of lower altitude and prevent altitude and prevent altitude and by the FAG	Routes to/hoer Glasgow and Edinburgh airports whold be proceedurally decordinized from the ground to a professional procession with NATS Prestwick.	Microsofte grant is accord posicion, the forther dependence is local or quality and advenue colorgical injusts to a dotting grant grant grant which the injust of advenue on chirade shares			Glasgow Airport should climb and descend continuously to/from at least 7000ft with a preference for the most environmentally	Routes should be designed to meet a RNAU specification as a ministrum in order to gain maximum benefit of the performance capabilities of the modern aircraft feet operating at Calagow Airport in line with the guidance provided in CAC 4021305 on ethanced route spacing for PRI and	NGA Charachach In Chup Anna an Anna ann an Suite (Chur Li), an suite an Anna Anna an Anna Anna Anna Anna An				
						Number of people within the G5d8LAmax contour (from a typical aircraft overflight)	Affect on frequency of overflight for those under the extended centreline within Som of the runway		Mechanisms for predictable respite	Noise sensitive areas and buildings, national parks, areas of outstanding natural beauty/National Scenic Areas											benerical option to be chow, if both cannot be achieved simultaneously.	provide sufficient resilience and redundancy against Global Navigation Satellite System (GNSS) failure.	Maintain and enhance high aviation safety standards	Secure the efficient use of airspace and enable integration	Avoid flight delays by better managing the aimpacemetwork	Improve environmental performance by reducing emissions and by better managing noise	Facilitate defence and security objectives
RWY05 Dep Do Nothing																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 05 Dep Option A																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 05 Dep Option B																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 05 Dep Option C																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 05 Dep Option D																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY05 Dep Option E																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY05 Dep Option F																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 05 Dep Option G																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 05 Dep Option H																							See DP1 and DP10	See DP3 and DP10	See DP2, DP4 and DP12	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP14	
RWY05 Dep Option I																							See DP1 and DP11	See DP3 and DP11	See DP2, DP4 and DP13	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP15	
RWY23 Dep Do Nothing																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 23 Dep Option A																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 23 Dep Option B																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 23 Dep Option C																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 23 Dep Option D																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY23 Dep Option E																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWYOS Any Do Nothing																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 05 Arrival Option A																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 05 Arrival Option B																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 05 Arrival Option C																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 05 Arrival Option D																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY05 Arrival Vectors only																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY05 Arrival Vectors and PBN hybrid																							See DP1 and DP10	See DP3 and DP10	See DP2, DP4 and DP12	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP14	
RWY23 Anv Do Nothing																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 23 Arrival Option A	DISCONTINUE																						See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY23 Arrival Option B	DISCONTINUE																						See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 23 Arrival Option C																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY23 Arrival Option D																							See DP1 and DP9	See DP3 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 23 Antival Option E																							See DP1 and DP9	See DP2 and DP9	See DP2, DP4 and DP11	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP13	
RWY 23 Antival Option F	DISCONTINUE																						See DP1 and DP10	See DP3 and DP10	See DP2, DP4 and DP12	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP14	
RWY23 Arrival Vectors only																							See DP1 and DP10	See DP3 and DP10	See DP2, DP4 and DP12	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP14	
RWY23 Arrival Vectors and PSIN hybrid																							See DP1 and DP10	See DP3 and DP10	See DP2, DP4 and DP12	See DP2, DP4, D5, DP6, DP7, DP8, DP12 and DP14	





	-		1	1	1						1	Danka Maciala I.e	duction						1		r	r			-	
iştin taşı	Option Runn	The despite design and is specified on the brack of the scalar that is being a start of the scalar scalar that is the scalar scal	And Adv the granth is so day, spirit met dawn baffi sy north barry at an apara is any spirit and a spirit barry benaal dawn of the ar transport	Design the appropriate values advantable of a space is a space conversition of the second second space of provide second second space of provide second second second second second second sequence.	Mitgeirang kolore reponsensis, kar arkenne huldegen ingenselgen digerborter nottenon batte.				Ofter communitien optimes her her dispersion blenegh ble oer of per reacte optimes and after require the instance ATC optimes cond	ch with a core evolution and dust dustries and comparent working methods have an provide address and entertained and provideral ands.	<ul> <li>Be actual and departments in 1200 should avoid outro used parts, even of antidated again and areas that percent some</li> </ul>	ikal aran Zingan Xryari kéna Ira aran ardi solinge, seland né kana (Malandi Kara) kena ariy akatalap aran di masa	Migate the regards as load an entrol of the reserved abilitative statements that approach as the satisfy of the second of a single statement were flight is an evolution				Collifienter auft nation bostitols angent i und NDT to mourit blat the at space dange optims are impacted an attraction and an angent and an attraction attraction programme at home attraction and an attraction attraction programme attraction and a summarial and attraction being sound and attraction North programme.	Radio la from Unges and Editional signature doubles benered and production from the ground is a product from our during and Restaurch	Minimiar DegrowDrin ansault workgraf inganis to address			Ain soft open sling at Diagone Argani Wandollawi and Argani Wandollawi and Argani Amilana at an an Ing ang	Ensiste shund för skrangend to met a MRDT specification so is minimum in med is agatt mensionen in med i af affar professorer so specification för professorer so specification för professorer so specification för efter att som ensisten att som att för professorer som att som att som professorer som att som att som att som att som att som softender som att som att som softender som att som att som softender som att som att som att som att som att som att som att som att som att som att som professorer som att som att som att som att som att som att som softender som att som att som softender som att som att som att softender som att som at			menulina Starlog (2013) (1) are parted at a patient and registery standark.
								Affect on Impuney of our flight for these under the advertight and dance within Som of the rankey			Note evolve area and Indiang, national parts, area abautized ag natural InsuigNational Special Sec.													Maintain and mhanar high antation saling siandanik	Jacuretta alimati usraf angazeand malik integration	Improve motionmental performance by relating motion and by failer managing ratio
	RAY OS Jore Do Riathing	The strepture design is an other or other than tool ay with no safety concerns, at this time	Option is separately in manifest Gargers agendianal performance in the follow	The design option much la contracted at their Theorem and CAR attempts partners of the option of the partners of CAR without at the solid contract CAR	Options and expected to affect ground or arborne holding	Option is expected to small within 2016 of two analows of people conflicted interface (and other to and other)	Option is repeated to remain within 20% of the evention of people within the EddELown contract from algorid atom? were Egged	Option is regarded in horma- sharppin the Important south gib for them and the the mission destination of the second of the second	Option dates") set the word multiple students is that make however studies results are galaxies disperse the softs		Option-stars wai affect the number of nano-service areas and buildings, extended parts, areas of number of parts areas of plasticard Starstic Jones conflorence before 70008	Option will not us as increase i Programs privatellight of areas Out and Program in exections indep	R/R - the mitigation is provided through SD variable scale adjudientitis	Cylinas in Hally losd ay the same ar contributes in a statistical term and in a supposed plane (1) 20 million (2) and a statistical term and a statistical term singlestel by Institutes (2) and term singlestel by Institutes (2) and term singlestel by Institutes (2) and term singlestel by	Option won't affest lantitionetic waterderCAS	Optionunlikely to have an impact an infringements	Throughton may well for compatible with ADD Sturbs programm as we will are to the form within the ToTMs could require thoughts to the ToTMs could append on the ToTMs to the between 2000 kit of Cargore shall it depends on the requires taken forward by that generate	Al routes are procedurally describited upto 1580	Option is expenied to maintain the same look allocat as quality emissions	The advance design is with repeated is seculi in any change in evolution of the part is compared to the backlese	Option is Skely bomaintain mixing levels of encoders	Option is unlikely to affect CCO(CO) performance	NG, the et as PEN generation with exclusing	Bee OP Land DPB	er GP3 and GP3 OP11	Serciara, SPA, ER, ERA, Barr, SPA, ERA, Era, Spanner Barra Barra Martines and Barra Marti
	Rum 25 Artical Option A	No solution presentation in the data as data-distance angles on workshifts and an provide requires in your solution is solution on the provide requires in your solution is solution of the provide datasets of the source and the solution of the data datasets of the solution of the datasets and an adversarial solution on and the data areas and as a datasets of the data areas and as the datasets and as adversarial as a data solution of the data and as adversarial as a data solution of the data and as adversarial as a data solution of the data and as adversarial as a data and and as a data and and as a data and as a data and as a data and and as a data and and as a data and and and and and and and and and an	She of a poor FRE proval option to regard in the poor future option out of point stress provide the more of the stress of point stress provide the more out of point stress point to real behaviour out out out on the stress point to real behaviour out of stress point point provide and and stress stress point of point point based point out of stress point point point point based point of stress point point point point point based point point point point point point point point point based point p	Nerdesignapilan may coupling sharpen in the energy of human the second second second particular a second se	Likelah dipate PEK kannat uption Songentudi tahun mana di dante hudang Tikun kanuan 25 angka dine pasang sona 12 angka dine pasang sona the sonadi kana the salaki. Twe sonadi kana the salaki salaki penaka manali pasa dipate penaka manali pasa dipate penaka manali pasa dipate salaka salaka pasa dipate salaka senaka	Options), expended to reduce the number of people and flow before 1000 by however, in contraction(by more than 2000	Option is regarded to remain within 21% of the counter of people within the Edit Linear contract from algorid atomit overflight]	Option is reported to have no sharper to the forequency of contribute to these and the the extended anti-stranger (the to a filter names)			Option realises the number of neuroseneitive area and hulders, national party areas of environing realised heaving National Termin Janus exertificant Intern Janus	Option has PER antical neutre within the enaling mass a most sociate and wall threaders not much law increases the internet law increases that an else Region VI everfaces taking (Neuronic, skil and the enalistic social and the focus and a RE-most and a new Eight to Reservation that read of	R/B. Litern Egyllion Sprovided Drough 3D with Seak adjustmets Far antides, the additist of a stronger Mike Rock arved this Garger with for insening and some (in Rec1) will Saveta remained 1.0"	Option varial expairs more CAS to Unevent at the transition (2002) or a more to Unevencient juin Find Approach of ght/g channe. Balging in this, werent PED is weaking at least a strategy to incompared but also including to more appendix at also including to more appendix and income as a multiple as a strategies for approach spacing.		Option-untility to have an impact an infringements	Norleedhach in date in suggest aption is unt, ar samad in, sampatitie with a stift AMI North programme.	Al modes are procedurally descellation optic 1780	Simerbis spjins has no sharge In her anvest fly beleve 1,000 rompand in taska, there are birdy in terms and the simplified are spatially best tree or engined as anothed in the sequence single entropy of the sequence single- option.	The utequare design is not expected to enable to any change to exclude our any or so enabled to the baseline as no change before 20005		PBLanted redex-and d facilitate represent CDL performance	Option tas ke disigned kadi lend as KULD spatialism alibangkarKU-07 eng datase keneti	See CP1 and DP3	er DP3 and DP3	Berdin, Dri, Bi, Bi, Dri, Chi, Dri, Shi, Shi Dri, Dri Jani Shi Dri Shi Dri Shi Shi Dri Shi Dri
	Rutritis Arrival Option B	Non-Selfey conserve sheet help as a data data or up to a solution of PE anton response to action of the self-self solution and the self-self solution of the self-self solution data and the self-self solution of self-self-self-self antoneous and sense on physical Big region and the self-self solution of self-self-self-self- ated solutions and the self-self-self-self-self-self- ated and self-self-self-self-self-self-self-self-	San diapare PBA article system is request to a gaster balance spectra and performance That is balance with a solid by the fit provide the sound and a spectra spec- tra spectra and a spectra spectra provide the sound and and a spectra provide the sound and and a spectra provide the sound and a spectra spectra provide and an intervent picture of the spectra terms.	De deige option may require charges to the existing CBI homotion de CBI affects parterial to endour the table outputs of the table of the table candidated with the CBLOSS candidated party.	Development PRA annual application brought has been as a defension of the second and the second and the second and the second of the seconds. These second and the second of the second	Options in repeated to reduce the manifered people and faces before 00003 (antiretime) antirefield by more than 2004	Option to repeated in constant within 2015 of the exact of program within the 4000 Linear exercises (from elegistal also 40 exercised)	Option is represented to have no shareprise the forequency of control split for the or another the method of control is one splits in Som of the normaly			Option token: Demonster of autoremetive research for the second parts, area of evolution of parts, area benety the second second conflorent below 70008	Option has/EELentred oracle within the end of grant and of audite and the Therefore and Topporty of Anton Eight of the Options of Anton Eight of the State I failed (December) works at the Anton Polymeric and another and end on Eight the Boar works that and eight	R(B.: Elsentingation hyperodult Decepti ED with look aligotamic, Far anish, Die alicity for a longer MA 2000 arved hits Gaspeward for insertigation basers, De 155 unt State have a senatorial 1.07	Epitian would require more CAL to the sense of the isoantian (MAR) or a more to the would be print fract dynamics of physics down Subject isother, would be to extra some of the sense reducers and the sense of ground holding would more as a much a set assume the food approach space in participants		Option unlikely to have an impart on infringements	Norbedach is deire sugget spites to ut, or saved by, kongelike with the sole All Rich programme	22 mades are procedurally describited upto 7180	Sinaribis aption has no charge in here around fly below 3,0009 compared in talky, how are Starly to be no sharpes to insid at quality genetices or applied as around if this singuant drips option.	Destroyase desgri i coli repai del si oracifi in any ultange ta natingti di pupi i companya di la thataceline acros charge beller 2000.		PBI arrisol restors would findinate represent CDL performance	Option can be designed to all level as RAILES specification although calls of the system deliver levels	See OP Land OP 9	or OF 3 and OF 9 SP11	Sectors, DPJ, DR, DR, DR, DR, DR, DR, DR, DR, DR, DR
	RNIT 25 Artisel Option C	Nesdaty assumes similarly as a distribution of the second of VD arts of engine is which care there have not distance of themes new jers call by the distance of themes new jers call the of the assess of themes is an ord (will find). At the partici, the summaries assumes the second of the summaries and the at a distance problem and is build as a sum and as Min.	See of a part FIR and spilen is report of a part balance produced on the term The term and the solid system of the product is used as solid of a part of term is because part of the solid system of the solid system of the solid system of the solid system of the solid system of the solid system of the solid system of the solid system of the solid system of the solid system of the solid system of the solid system of the solid system of the solid	De design option may require storgen in the energiest from discourt of the attract partner in the store of the attra- tion of the store of the store in the store of the store	Development PRA annual applices because the line on some and because because the line on some and because and the source of the source. The annual how the Her source, there were also and an annual source of periodic source of the source. The periodic source on and sources because any line on and an annual because any line on and an annual because any line on an annual sources with workers.	Optionic sequence of the reduce Kier manifer of paragin and flows before 00000 junited are to center diarity more than 2000	Option is reported to remain within 20% of the content of program within the 400 Linear exercised from a legislal atomit overflight)	Option is regested to have no sharepris the frequency of contribution for the or working the estandard control (correct) in the standard control (correct) in the standard correct) is the standard control (correct) in the standard correct) is the standard control (correct) in the standard correct) is the standard correct correct in the standard correct (correct) is the standard correct (correct) is the standard correct (correct) is the standard correct (correct) is the standard correct (correct) is the standard correct (correct) is the standard correct (correct) is the standard correct (correct) is the standard correct (correct) is the standard correct (correct) is the standard correct (correct) is the standard correct (correct) is the standard correct (correct) is the standard correct (correct) is the standard			Option reduces the number of numerous the areas and Subdays, outside parts, and inclusion days and benets from the form them sumfirms before 70008	Option has NEX an indicate with indicating pass and of marking and the three increases for the second second second second for the second second second second second second second base increased and second set Base and the load of	N.S Element Spatiane Supresented Decouple SDV with Yank Adjustemetic Far anticular, Dar- delitis y for a language MAP 2020 anticular biolic Gaugeare with Ja- tionant Spatian Samarev, Dec 12, units Autor In Sector States WE Ausertia remain at 1.57	Epican worklingster mer CAS In Derwell affahrinsstatum (SAER) er ansamt in Derwelte in junt find digensik sightlich alsen. Stadgetickether some Michael and annen Stady in reduction affahring and data instantion interreger Fahr data instantion another a architecture and genord heads for the associate fahr result in the associate fahr approximating and the statestic approximating and the statestic approximating and the statestic fahr approximating and the statestic fahr approximation and t		Option until kely incluser an impact on indivigenments	Nachenbach in deirche suggest spiten is wit, ar zannet ke, kangelike witstike wiede fall Nach programme.	Honoles are providently deconficted optic 7(30)	Sinaniba agili un has no charge la heu ainsuli fly belou 1,000 annganed la tadag, hava an Usely la ken sakages la laud at qualit goostare en equival as annali di bu cargane faign equine.	Descegare desge is out reported to result in any change to notingful change is somport to the tasefue as no change believ 20008		PBS anisof reades-would Redistate improved CDA performance	Option can be designed to at bool as KNEC specification athengins at KNEW only detare benefit	Ser CP Land CP 9	on CP 3 and CP 9	Bandord, GPA, DJ, DJA, DP7, DP3, DP3, and DP5.
	Rain 35 Antual Option D	The solving some revision if and pass data may be appreciated on the source of the market one appreciate on the source of the respect in activity, have the solutions of the data may be appreciated on the source of the part of the source of the source of the source of the market one appreciated on the source of the part of the source of	See of a part FIX and upton transmission and the second se	De deign option may require charges is there stop (20) homolocity of 20 of 20 of pathward (20). The actual could be activated and the stop of the stop activated and the stop of the stop of the activated and the stop of the stop of the activated and the stop of the stop of the activated and the stop of the stop of the stop of the activated and the stop of the stop of the stop of the activated and the stop of the stop of the stop of the activated and the stop of the stop of the stop of the stop of the activated and stop of the stop of	On other general PEX period springer beingen being ihr one spraw at the boost metalling. This can be assess at the boost metalling and the first field of the second second have the first field of the second. The second have the first field of the second period is second as an other period between an information general as they would be assess to be assessed as they would have the second second second period is second as an other second second second second section are second as a second second second section are second second second second section are second second second second second section are second second second second section are second second second second second section second second second second second section second second second second second section second seco	Options) expended to reduce the method of progle and flow below 1000 protections below 1000 protections controlling by more than 2016	Option is reported to remain within 235 of the exactles of people within 64 dBL loose contract (how a legisla distort) workfight]	Option is represential havens sharper in the frequency of control gib for the second second microbiol control in our second of the names			Option reliant Demonster of minerantice area and buildings reliand parts always of the second parts always and the second parts and the second parts of the second parts of the second parts of the second parts of the second parts and the second parts of the seco	Cyplics has ARK seried mode with her has a strain ground a seried model and the ground as and model and intermediation model and intermediation to growth and the theory (Discourse, yield workshow to farge (Discourse, yield workshow to farge (Discourse, yield workshow to farge (Discourse, yield workshow to farge (Discourse, yield in an increased rate of new Fight for Brown works that ready)	R(B) - One mitigation is provided Drough 3D with book alignments. For an index for advantation of the server for ACC arved trits diagnees for ACC instruction of the server, for ACL und Saterta remainal 1.10"	Sphere would engine mane CM Is thread afflet isosition (MIR) or ansate is thread or intern high sectors) where high sectors are set block and the sectors of the sector sector and sectors in neuroper 4 but does internet in method as another and mathematical associate and approach quarticle		Option-unlikely to have an impact an infringements	No-bedach is datarte sugart aptien is uit, er samet la, sampatier vir die datarte viele 780 Karlb programme	Al radio are providently decontrained upto 7180	Severibis applies has no charge in here annoth fly below 1,000 sampared in ladar, hare an Dely is do no sharpes hi hair an quality positive or regaring a sensiti of the compared ingen option.	The annuane design is well repetited is service in any ultrange to existing of a signal is semigrave to the baseline as no sharp before 20005		PBL anisof review would facilitate represent CDL performance	Option san berdnigend ta al Sook an RNAC specification although scatter PAP may deliver Senetti	See CP1 and CP3	er DP 1 and DP 9	Sec070, DP4, D3, D74, D970, D973, D973 and D973.
	Rum 25 deviat Under andy	Ne safety concerns destified as this matches the activity concept of spiration	Option is separately in manifest Gaugers agendianal performance is the follow	The design option sould be contained authors thread dis CAR advanced dis after painwise is non-contained outcome of CAR	Options and expected to affect ground or arborne holding	Option is expected to sensite within 2016 of the number of parage contractations 40000 [ambediantic contraction]	Option is experied to remain with 27% of here to be the filled party of the filled to be the filled to be party of the state of the filled conflight]	Option is regarized in horms that gets the frequency of sourtight to the or other the establish or other sources the self-the names	Option dans's sector wand multiple souths to there note housever rout creates any gives dispense the softs		Option-stors wel affect the sunder of nano-period parts, and buildings, externed parts, areas of sublings, externed parts, areas of subling stores. Less sundiaren belar 20008	Cytion will not us as increase is Brouwney schwertlighen til Guardian balay austiliaan balay	R/R - the mitigation is provided Drough SD valid hash algorized for an index (the algorized size Clargers with the consenguted near second size of the actual size clargers with the second size the second size of the second	Option IS Thelp to stay the same in terms of fact of complexity for ELLASS inside CB	Option antikely is attnii Battlinende outside CAS	Option un Stafy in have an impact an indringements	The applian may not be computed as with XERs and yit they want is been forward their blogge as a some opt	Al routes are procedurally describited upto 1580	Encreties appliese Nations changes in here accord By Series 2,000 Compared to Index, New are Deby in iteration to the stages in how are they in the rest of the series of the series of the series of the series of the series of the series of the series of the series of the series of the setting.	The adaptive design is not repetited is each is a reprint get for mainfield and parts compared to the basefine as no charge believe 20200	Option is Skely bomaintain mixing invition emissions	Option is unlikely to affect CCO/CDO performance	NJ, the et as PEN generation with exclusing	See OF Lond DPD	er GP3 and GP3 OP13	Ser-2010, DPA, DPA, DPA, DPT, DPA, DPA, DPA, DPT, DPA, DPA, DPA, DPT, DPA, DPA, DPA, DPA, DPA, DPA, DPA, DPA, DPA, DPA, DPA, DPA, DPA, DPA, DPA, DPA,
	Rum 25 deviai Taslar and PBN bytest	<ul> <li>No safety concerns identified at this stage</li> </ul>	Option Langested is otherer Biogen epotition of performance in the factor. T Interactive XC can on the PRR action where traffic backs are be and the WR of factor because a shareholder fitness as Supervises because affails in Tenery (Staff or Tenery)	Derdezign option may require charges in the existing CBD bunnelation bad 481 effers patiential to sociase the table of the existence of the table of the existence of the table of table of table of table of t	Option is not superind to affect ground or at loaner helding	Option is expected to sensite within 2016 of the soundary of people contributional and and (sensited) are an	Spline is experied to sensite with 215 of the contine of people with the 656L tens contine (here a typical sites) werflight]	Option is respected in basense sharpprin the foregroup of conflicted and the second of the excluded control in a second of the of the summary	Understog of antiods is a mechanics which shares nature mere regularity. However, hanegeRE served reverse and dation a hope is sorted in an exactly an end of the sorted narranger of the sorted in the source of the sorted in the sorted compared is intelling.	11 may be possible to signalate that PBX arousts are manufale during the winds with the work provide product the negativit Dama communities and the negativity these reactors.	Cplantaen, sat affect the mundler of name-secular area, and facility, national perio, area of national grantaet heavy Stational Secular States conflictent before 70008	Assuming that the PER path lader forward is within the anching or too worths, this priors will not see an oversaries in Enginesing private light of more that are forwart locally overflower locally.	N.B the excitant is provided Drough SDV with track adjustments in a stratus, the adjustments is a stratus, the adjustments is a stratus, the ACC and SDV adjustment is a stratus of the immedigated basenese, the ELS will have to remain at 1.0'	Options in Viewly to a condering the acceleration of an examplement for examplement of the examplement of the option of it of the examplement of the option of it of the examplement of the base PREservice of the standing severities. Options O wanted hereitse more Resources and search factor PREservices and search of the examplement of the standing hardware factors factor to know hardware factors factor to know	Options has partnerstark to south charles in an investment histoficional constraints (23) although (20) eVEN parts can be much of applied to include that, if much approximation in howy constrained within marking (28)	Option un likely in have an impact on infringements	Rochenback to date to suggest option fromt, or cannot be sumpatible with hits wide hits North programme.	22 maint an procedurally describited upto 9180	Secondaria applican flate no change to fore according for before 3,0000 compared to latera, libra are Kindy in latera change to latera e quality positive or regarding a second of the compare droign optime.	The adequate design is well expected is result in any change to excluding tail impacts compared is the handling tail impacts compared before 20005	Option 3.384y temaintain moding liveful of micigans	Analability of FBN at tool tooling would find that improved CDA performance	The PEX arrival intension scan for deepend to all head an AMD open Endational Hough Soft EXP+19 may define lamoth	See OF Land OF 9	es OF Land DPa OF 12	Barc 2012, EPA (201, EPA 1977, EPA (201), EPA 1972, EPA (201), EPA 1974, EPA (201), EPA (201), EPA (201), EPA 1974, EPA (201), E

